

COFFEE GRINDERS



Grinding on demand, electronic dose adjustment, ventilation with electronic control

Power	450 Watt
Grinding adjustment	stepless micrometrical
Burrs	conical burrs 63 mm - 2 ½ inches (ref. 191C)
Grinding burrs speed	420 rpm (50Hz) - 500 rpm (60Hz)
Body	aluminum die casting
Hopper capacity	1.3 kg (2.9 lbs)
Net weight	22 kg (48.5 lbs)
Equipment features:	IoT, Tag holder, GFC Kit
Optional:	hand tamper in aluminum with support base



Kony Sg features a professional-grade built-in scale. The load cell is accurate, repeatable, and can be set to a hundredth of a gram to weigh each dose, offering maximum precision and consistent results.

2.4" COLOR TFT DISPLAY with excellent viewing angle, 19 languages

3 PROGRAMMABLE DOSES by weight or by time with setting accuracy to the hundredth of a gram / second. Additional manual grinding mode.

WEIGHT RECALIBRATION procedure

Ability to **LIMIT THE NUMBER OF GRINDABLE DOSES** according to the coffee stock

AUTOMATIC DOSE PAUSE upon removal of the portafilter to settle down the powder

CUSTOMIZABLE DISPLAY with logo and color theme

ALERTS on service needs, worn burrs, empty hopper

DAILY GRINDING STATISTICS



Low RPM conical burr grinder with BUILT-IN LOAD CELL DESIGNED TO DELIVER

This is the ideal choice for medium volume cafes. Silent and with low coffee retention, it helps to get full bodied well balanced extractions.

GFC

Keep grounds from getting on the counter (**ELECTROSTATIC CHARGE REDUCTION**) while getting **UNIFORM COFFEE GROUNDS** in your portafilter with the innovative GFC System. GFC - Grind Flow Control consists of a removable aluminum outlet insert equipped with two dampers (Hybrid and AntiClumping)



No loss of grind settings with **EASY TO CLEAN** grinding chamber



User friendly **MEMORY TRACK** system to index grind setting. Wide grinding adjustment range




DOUBLE FAN cooling system



ADJUSTABLE PORTAFILTER HOLDER. Grind hands-free and consistently center the flow of grinds in your basket




TAG HOLDER
use the magnet to place a tag on the hopper with the name of the coffee you are serving



dimensions

	mm	inches
A	208	8 1/4
B	240	9 1/2
C	264	10 1/2
D	413	16 1/4
H	695	27 1/2
E	210	8 1/4


colours



pure white
bianco neve



matt black
nero opaco



matt gray
grigio opaco



silver
grigio chiaro



polished aluminum
alluminio lucidato



bright red
rosso ciliegia



63mm
conical burrs

certifications




Stepless micrometrical grind adjustment
Sistema di regolazione macinatura micrometrica continua



SECURITY FEATURES
Sistemi di protezione

SUPER JOLLY



	mm	inches
A	195	7 7/8
B	253	10 1/8
C	220	9 1/8
D	270	10 5/8
E	510	20
F	212	8 3/8

About MAZZER

Mazzer is a leading company for the manufacture of coffee grinders, grinder-dosers and accessories. Its products are distributed in 90 countries worldwide and are well known for quality, reliability and design. The company is present throughout the entire technological process and the reliability of its components is internationally appreciated.

Available in the following versions:

- with manual switch
- with time switch
- automatic with start every 12 doses and stop when the ground coffee doser is full



TECHNICAL FEATURES:

Power	350 Watt
Grinding Blades	Ø 64 mm (2 1/2 inches)
(single phase ref. 33M - three phase ref. 33T)	
Grinding blade speed	1400 (50 Hz) r.p.m. 1600 (60 Hz) r.p.m.
Coffee-bean container capacity	1,2 Kg (2,7 lbs)
Ground coffee container capacity	280 g (0,6 lbs)
Dose adjustment	5,5-8 g (0,19 - 0,28 oz)
Net weight	14 Kg (31 lbs)

COLOURS



FEATURES

TAKE A JOURNEY THROUGH YOUR COFFEE

Mazzer Philos is a **PREMIUM SINGLE DOSE FLAT BURR GRINDER** designed to help you get the most out of your coffee. Its elegant design, accurate machining, and superior materials make it the ideal choice for demanding baristas looking for **QUALITY IN SMALL SPACES**. It is suitable for **ALL EXTRACTION METHODS**, from espresso to batch brew.



OPTIMIZED WORKFLOW, EFFORTLESS MAINTENANCE

- The grinder is designed to **LOWER ELECTROSTATIC CHARGES** in the ground coffee, keeping the counter **clean from coffee dust**.
- Access the **GRINDING CHAMBER** to clean or change the burrs without tools and **WITHOUT LOSING THE GRIND SETTING**, as the adjustment ring is located on the back. This position also prevents any unintended collar movement.
- **STRONG NEODYMIUM MAGNETS** hold the stainless steel dosing cup (which fits 58mm portafilters) and the dose-finisher in place.
- The **CABLE CAN BE SHORTENED** and stored inside the grinder to keep the counter neat and tidy.

SMALL, SILENT AND SAFE

- Philos is compact and takes up little counter space, making it easy to fit into **TIGHT SPACES**.
- Tight tolerances, low frequencies and a vibration-damping system keep the Philos **QUIET AND STABLE**.
- Electronic and mechanic security systems keep the user **SAFE** even when the hopper is off.
- The components that come into contact with coffee are **FOOD-SAFE**.

BEAUTIFUL INSIDE AND OUT

Philos' **NEAT DESIGN**, inspired by the sleek lines of Mazzer ZM, works well on any countertop.

The **ASYNCHRONOUS MOTOR** and precise component machining provide **DURABILITY** over time and **HIGH RELIABILITY**.

PREMIUM MATERIALS like stainless steel, brass and anodized aluminum make the 12.5 kg grinder not only reliable, but also **EASY TO RECYCLE** and **SUSTAINABLE**.

STEPPED OR STEPLESS: IT'S UP TO YOU

Easily switch from stepped to stepless mode with a **simple procedure**.

- **STEPPED MODE**: with single-step increments as small as **6 microns**, the graduated adjustment ring covers **all brewing methods**, from espresso to batch brew. This makes grind adjustment a breeze, ensuring **repeatability** in your recipes.
- **STEPLESS MODE**: if you are looking for **infinite settings** to dial in the perfect shot, Philos can be converted into a stepless grinder.

ZERO RETENTION

Philos allows you to switch seamlessly from one origin or brewing method to another without wasting coffee. The grinder is designed and tested to avoid retention and contaminations of coffees.

The handy **DOSE-FINISHER** collects any ground coffee residue while cleaning the chute. When not in use, it can be stored in its dedicated slot behind the front plate.



Tech Specs

Power	400 Watt
Grinding adjustment	step and stepless micrometrical
Burrs	stainless steel flat burrs 64mm (3 1/4 in) for filter or espresso (I200D or I189D)
Grinding burrs speed	1400 rpm (50 Hz) - 1600 rpm (60Hz)
Body	anodized aluminum
Hopper capacity	60 g (0.13 lbs)
Net weight	12.5 kg (27.5 lbs)
Canister	capacity 60 g / for ø58 portafilters
Optional features	canister for ø53 portafilters

dimensions		colours	
	mm inches		
W	153 6		
H	361 14 1/4		
D	351 14		
 64mm flat burrs		anodized black	anodized silver
certifications			
  			
  			

Super Jolly/V^{Up} electronic

ELECTRONIC FEATURES

YOUR COFFEE SIDEKICK

New electronic features give to barista, coffee roaster, business owner or service more control over the grinder.

TOUCH control panel

PROGRAMMABLE single, double and third dose buttons

MANUAL GRINDING mode

STEPS of a hundredth of a second

TOTAL dose counter

PARTIAL dose counter

MANUAL PAUSE function in between grinding

Ability to set up a **MAX TIME** per dose



Bright and colourful **TOUCH** control panel

EXCELLENT TOUCH DETECTION

Super Jolly V Up is the first in the Mazzer range to feature a bright **TOUCH CONTROL PANEL**, direct and easy to understand, with an excellent touch detection and wide viewing angle.

Tech Specs

Grinding on demand, electronic dose adjustment

Power	350 Watt
Grinding adjustment	stepless micrometrical
Burrs	flat burrs 64mm (2 1/2 inches) (ref. 233M)
Grinding burrs speed	1400 rpm (50 Hz) - 1600 rpm (60Hz)
Body	aluminum die casting
Hopper capacity	1.1 kg (2.4 lbs)
Net weight	14 kg - 31 lbs
Equipment features	GFC
Optional features	Tag holder



SIMPLICITY OF USE

The grinder is easy to use, and has everything you need to make excellent coffee in a small to medium-sized coffee shop. The Super Jolly V Up is a streamlined sibling to the V Pro with a touch-sensitive digital interface.

MUST-HAVE FEATURES

Universal **portafilter holder** adjustable in height

Portafilter activated grind button to grind hand-free

Stepless micrometrical grind adjustment

Optional magnet to place a **tag** on the hopper with the name of the coffee



GFC

Grind Flow Control System

MAXIMUM CONTROL

GFC Reduces the **electrostatic charge** which causes the coffee powder on tray and counter and **prevents clumping**. It is composed of a **removable** aluminum outlet insert equipped with an easy to clean extractable wire damper to get a **dynamic control** over the flow of coffee throughout the chute.

RELIABLE AND ICONIC

The new Super Jolly V Up is addressed to those who look for simplicity of use without having to compromise on reliability or ergonomics. A modern grinder that paid tribute to the iconic style of the 1971 Mazzer Jolly.

HARDENED HIGH CARBON STEEL BURRS



64mm flat burrs have been re-engineered to **speed up** the dosing time by 20%. 100% made in Italy by Mazzer.

SAVE COFFEE



Low retention grinder to **save time and coffee** each time you change your settings.

CONSISTENT RESULTS



Uniform coffee grounds and consistent dosing to keep consistent results.

DURABLE AND ECO-FRIENDLY



93% of the grinder weight comes from **premium materials** like stainless steel, aluminum, brass, and copper, to make it not only durable but also easy to recycle and eco-friendly.

dimensions

colours

	mm	inches
A	207	8 1/4
B	240	9 1/2
C	255	10
D	410	16 1/4
H	595	23 1/2
E	210	8 3/4

64mm
flat burrs

	pure white
	matt black
	matt gray
	silver
	polished aluminum
	bright red

Super Jolly/V Pro electronic

FEATURES

New electronic features and optional IoT functionality give to barista, coffee roaster, business owner or service more control over the grinder.

19 LANGUAGE Control Panel with wide viewing angle

PROGRAMMABLE single, double, and triple dose buttons

Steps of a hundredth of a second

Total and partial dose **COUNTER**

Programmable **PAUSE FUNCTION** in between grinding

MANUAL GRINDING mode

Ability to set up a **MAXIMUM DOSE CAP**

Daily grinding **STATISTICS**

ALERTS on service needs, worn burrs

Firmware **UPGRADES**

THE EVOLUTION OF AN ICON

A modern grinder that paid tribute to the iconic style of the 1971 Mazzer Jolly. The evolution of its design, updated with new, sleek lines and neat shapes, makes the Mazzer Super Jolly V pro a contemporary classic.

KEEP IT SAFE



Protect your coffee beans from temperature exposure and preserve your bean's fresh roasted flavor with the double fan cooling system.

HARDENED HIGH CARBON STEEL BURRS



64mm flat burrs have been re-engineered to **speed up** the dosing time by 20%. 100% made in Italy by Mazzer.

SAVE COFFEE



Low retention grinder to save time and coffee each time you change your settings.

CONSISTENT RESULTS



Uniform coffee grounds and consistent dosing to keep consistent results.

DURABLE AND ECO-FRIENDLY



93% of the grinder weight comes from premium materials like stainless steel, aluminum, brass, and copper, to make it not only durable but also easy to recycle and eco-friendly.



GFC

Grind Flow Control System

MAXIMUM CONTROL

GFC Reduces the electrostatic charge which causes the coffee powder on tray and counter and **prevents clumping**.

It is composed of a **removable** aluminum outlet insert equipped with an easy to clean extractable wire damper to get a **dynamic control** over the flow of coffee throughout the chute.



IoT functionalities

BE CONNECTED

Wherever you are, be connected to your grinder on your cloud. Thanks to the internet-connectable platform data about your grinder is remotely **easily accessible**. You'll be able to **monitor** any and all of your grinders' **output**, keep up with **maintenance needs**, and **improve** the quality of your coffee in a scientific way using **data** tracked by the grinder (optional).

dimensions

colours

	mm	inches
A	207	8 1/4
B	240	9 1/2
C	255	10
D	410	16 1/4
H	595	23 1/2
E	210	8 1/4



64mm
flat burrs



pure white



matt black



matt gray



silver



polished aluminum



bright red

MI40 Touch

On demand grinder

MI40 Toch

Grinding blades Ø 65 mm

Power 480W



Display Touch Screen 3,533



Interface with icons.

Customization of doses.

Customization of interface

Three working modes to choose:

Estándar

Push and grind

Barista

MI40 Touch

On demand grinder

Features:

High Precision Grinding: Equipped with 65mm flat burrs for consistent and precise grinding, delivering uniform coffee grounds for optimal extraction.

Stepless Adjustment: Offers stepless micrometric adjustment for precise control over grind size, catering to various brewing methods.

Touch Screen Interface: Features an intuitive touch screen display for easy adjustment and monitoring of the grinding process.

Large Capacity Hopper: The spacious hopper holds up to 1.4 kg of coffee beans, making it ideal for high-demand environments.

Durable Construction: Built with high-quality materials, including a robust motor and sturdy housing, ensuring long-lasting performance.

Quiet Operation: Designed to operate quietly, making it suitable for noise-sensitive environments.



CHARACTERISTICS

Four programmable doses	
Grinding blades	Ø 65 mm, Flat
Power	480 W
Motor	1400 rpm (50 Hz) / 1680 rpm (60 Hz)
Dimensions	194 x 307 x 560 mm
Hopper capacity	1,2 Kg
Production	2,6 - 3,3 g/s
Net weight	8,9 Kg
Display Touch Screen 3,5 ^{oo} with new HMI	Hands-free fork
Grind adjustment ring with zero grind setting	Metal fork with anti-vibration coating
Stepless adjustment system	Air intakes in the base for forced suction
Speed of service	Adjustable cooling fan

COFFEE LINE

MXD Xtreme

ON DEMAND
GRINDERS

MXD XtremeDIGITAL

Flat grinding blades Ø 75 mm
titanium
Power 520 W



FEATURES

Three programmable doses
Manual dosing
Flat grinding blades Ø75 mm titanium
Hopper capacity 1.4 kg
Dosing counter
Stepless adjustment system

DIMENSIONS

Dimensions 230 x 370 x h600 mm
Net weight 12.8 kg

POWER

Grinding output 4 g/s
Power 520 W
Motor 1400 rpm (50 Hz)
1680 rpm (60 Hz)

COLORS

☐ C05 white
☐ C11 dark grey
☐ C24 red
☐ C10 grey
☐ C18 black
☐ C83 chrome (opt)

OPTIONAL

Stainless steel tamper
Filter-holder support



Titanium grinding blade



Stainless steel tamper



Filter-holder support

SUPRA⁶⁸

TECHNICAL DETAILS:

Performance Profile

Built for busy cafés and service-focused environments, the SUPRA 68 delivers speed, consistency, and reliability shift after shift.

Capacity

1.5kg

Power

220-240V - 50Hz
550 W

Technology

3,5" Touch Screen Display with HMI

Dimensions (W×D×H)

244×354×638mm

Productivity

3.8 - 4.5 g/s

Flat burrs

Ø 68 mm

Weight

12.7kg

Versions

Grind by time
Grind by weight (G Series)

Available colours

Black | White



MAIN FEATURES

- Coffee hopper capacity 1.5kg
- 68mm flat burrs
- 3.5" Touch Screen Display
- Dimensions (W×D×H)
244×354×638mm
- Motor power 550 W
- Instant productivity
3.8 - 4.5 g/s
- CTS - Coffee Targeting System
- FOS - Fast Opening System



SUPRA⁸³

TECHNICAL DETAILS:

Performance Profile

Designed for ultra-high volume bars, SUPRA 83 offers even faster performance while maintaining the same precision and grind quality.

Capacity

1.5kg

Power

220-240V - 50Hz
750 W

Technology

3,5" Touch Screen Display with HMI

Dimensions (W×D×H)

244×354×638mm

Productivity

5.5 - 6 g/s

Flat burrs

Ø 83 mm

Weight

14.5kg

Versions

Grind by time
Grind by weight (G Series)

Available colours

Black | White



MAIN FEATURES

- Coffee hopper capacity 1.5kg
- 83mm flat burrs
- 3.5" Touch Screen Display
- Dimensions (W×D×H)
244×354×638mm
- Motor power 750 W
- Instant productivity 5.5 - 6 g/s
- CTS - Coffee Targeting System
- FOS - Fast Opening System



YOUR COFFEE
EXPERIENCE



ATOM W 75

DIMENSIONI • DIMENSIONS

Altezza · Height	540 mm · 21.26 in
Larghezza · Width	180 mm · 7 in
Profondità · Depth	240 mm · 9.44 in
Peso · Weight	12 Kg · 26.45 lb
Capacità Campana Bean Hopper capacity	1.2 kg 2.6 lb

BURRS

Type	Piane · Flat
Diameter	75 mm · 2.95 in
Material	Hardened Steel
Lifetime	600 KG · 1322 lb

ENGINE

Traction	Diretta · Direct
RPM	1400
Power Consumption	430 W

PERFORMANCE

Grinding Capacity	3.3 - 4.8 g/s
Average daily consumption	4.5 - 5.5 kg · 9.9 - 12.1 lb
Rush Hour consumption**	fino a 2 kg · up to 4.4 lb

TECHNOLOGICAL PLUS

New IGW Technology	Yes
Stepless Micrometric Regulation"	Yes
Silent Technology	Yes
ACE System	Yes
High Speed Maintenance	Yes
Filter Holder group	Yes (adjustable, extremely heavy and robust) Stainless



Standard colours

- Matt black
- Grey
- White
- Ferrari Red
- Chrome

ATOM W 65

DIMENSIONS

Height	540 mm · 21.26 in
Width	180 mm · 7 in
Depth	240 mm · 9.44 in
Weight	12 Kg · 26.45 lb
Bean Hopper capacity	1.2 kg

BURRS

Type	Piane · Flat
Diameter	65 mm · 2.55 in
Material	Hardened Steel
Lifetime	500 KG · 1102lb

PERFORMANCE

Grinding Capacity	2 - 3.5 g/s
Average daily consumption	2.5 - 4.5 kg · 5.5 - 9.9 lb
Rush Hour consumption**	fino a 1 kg · up to 2.2 lb

TECHNOLOGICAL PLUS

New IGW Technology	Yes
Stepless Micrometric Regulation"	Yes
Silent Technology	Yes
ACE System	Yes
High Speed Maintenance	Yes
Filter Holder group	Yes (adjustable, extremely heavy and robust) Stainless



Standard colours

- Matt black
- Grey
- White
- Ferrari Red
- Chrome

Drogheria Mcd4

Our Plus
Stepless Micrometric Regulation System (patented by Eureka)

Easy Setting System

"High Speed" Maintenance

Blow Up System

All-Purpose grinder

New coffee channel with bag holder

Aluminium body and base



Technical specifications

BURRS

Type flat

Diameter 65 - 75 - 85 mm

Material Hardened steel

ENGINE

Traction Direct

Rpm

1290 (65 mm burrs)

1430 (75 mm burrs)

1430 (85 mm burrs)

Power absorbed

450 watt (65 mm burrs)

750 watt (75 mm burrs)

750 watt (85 mm burrs)

Feeding Single or three-phase

VARIOUS

Typology Manual

Stepless micrometric adjustment Yes

Bean hopper capacity 1,4 kg

Productivity (g/s)

3 - 4 Espresso 4 - 5 Brew (macine 65 mm)

5,5 - 6,5 Espresso 7,5 - 8,5 Brew (macine 75 mm)

7 - 8 Espresso 10 - 11 Brew (macine 85 mm)

DIMENSIONS

Height 645 mm

Width 184 mm

Depth 267 mm

Weight

11,5 kg (65 mm burrs)

14 kg (75 mm burrs)

14,2 kg (85 mm burrs)

Available Colours

standard colours

● matt black

● grey

A SERIES - GRIND ON DEMAND



New Interface

Easy setting and temperature and humidity check



Unbreakable Hopper

It is made of polycarbonate and is sturdy and durable

1.6kg



Easy dialing throttle

It is possible to adjust the grinding degree easily and comfortably by dialing method



Temperature and humidity display function

As well as setting, you can store beans in its best condition.

Grinding

Anti-statical

It's anti-static design, the ground coffee is not scatter



Volt	220~240V, 50~60Hz
Motor	1,400 RPM
Power	350W
Weight	13.5kg
Size	210 x 360 x 620mm
Burr	64mm burr
Hopper	1,600g
Purpose	Commercial Use
Output	4.8 gram/ per sec



A SERIES - RETAIL GRINDER

- Compact Design: mini in size, max in power
- Anti-static/Clumping grinding outlet
- Manual on Demand
- Extensive Grinding Range from Espresso to Filter Coffee
- Industrial Extruded Aluminium Body
- Italy-made Burrs with 600kg Grinding Life

Specification		
Dimension	Electrical	Capacity
Width: 170mm	Voltage: 230V	Hopper - 600 g
Height:460mm	Freq.: 50/60 Hz	Grinding disc-64 mm
Depth:290mm	Power:250 W	RPM - 1400rpm
Weight:9 kg		GrindingSpeed - 3g/Sec
Purpose	Commercial Use	

A SERIES MANUAL

Specification		
Dimension	Electrical	Capacity
Width: 210 mm	Voltage: 230 V	Hopper – 1600 g
Height:620 mm	Freq.: 50/60 Hz	Grinding disc –64 mm
Depth:360 mm	Power:350W	RPM –1400rpm
Weight: 13.5kg		Output Per Hour 4kg
Purpose	Commercial Use	

Grinder- dozer with flat blades suitable for medium consumption. Stepless micrometrical grinding adjustment.



TIMEMORE SCULPTOR
078s



Product Parameters

NAME :

Sculptor 078/078s TIMEMORE Electric Coffee Grinder

Dimensions L*W*H*(mm) :

261mm x 118mm x 294mm

COLOR :

Sculptor 078/078s TIMEMORE Electric Coffee Grinder


Catch Cup Size :

58mm * 100.5mm

MATERIAL :

Aluminum Alloy
Stainless Steel + PCTG







KAAPI SOLUTIONS INDIA OPC PRIVATE LIMITED

Corporate Office (New Delhi): H-2, C-Block, 2nd & 5th Floor, Community Center, Naraina Vihar, New Delhi-110028
Phone: 011-45063500, +91-7042112297 E-mail: northsales@kaapisolutions.com

Mumbai Office: 5th Floor, Hyde Park, Unit No. 503, Saki Vihar Rd, Ganesh Nagar, Marol, Andheri East, Mumbai,
Maharashtra- 400072, Phone: 022-46038290, +91-9220407297 E-mail: westsales@kaapisolutions.com

Bangalore Office: 219/11, 3rd Floor, Above PPS Skoda Showroom, Bellary Road, Sadashivanagar, Armane Nagar, Bangalore - 560080
Phone: 080-42050778, +91-9560090297 E-mail: southsales@kaapisolutions.com

Hyderabad Office: 1st Floor 8-2-684/3/6 (1496), Banjara green colony, Road No.12, Banjara Hills, Hyderabad-500004
Phone: 9650786297 E-mail: hydsales@kaapisolutions.com

East Region: Phone: +91-9810512297 E-mail: eastsales@kaapisolutions.com

Service Helpline No. 8860995297

www.kaapisolutions.com